

Flow meter

Type EK

Flowmeter air standard, G 1/4"

ITEM DESCRIPTION

The Type EK Flow Meter is a high quality flow meter made from clear acrylic. It is a reliable and easy-to-read instrument for measuring and monitoring liquid and gas flows..

FEATURES

- Acrylic body
- Flow adjustment valve
- Several flow ranges
- Single or multi-tube versions
- Clear, easy-to-read scale

MATERIALS:

Valve housing/plugs: Nylon
 Valve spindle: AISI 316
 Body: Scrylic (PMMA)
 Seals: Nitrile (*Viton, EPDM)

MAXIMUM TEMPERATURE:

+ 75 °C

PRESSURE:

Max. 20 bar

CONNECTIONS:

G 1/4", thread adapters must be used for NPT connections

FLOW RANGE

Article nr.	NI/min.	Article nr.	NI/min.
FLOW1408	0,1 - 0,8 NI/min	FLOW14190	1 - 9 NI/min
FLOW1412	0,1 - 1,2 NI/min	FLOW14900	10 - 90 NI/min
FLOW1418	0,2 - 1,8 NI/min	FLOW14200	2 - 20 NI/min
FLOW1426	0,4 - 2,6 NI/min	FLOW14360	2 - 36 NI/min
FLOW1455	0,5 - 5,5 NI/min	FLOW14700	5 - 70 NI/min
FLOW1470	0,5 - 7 NI/min	FLOW14475	7,5 - 47,5 NI/min
FLOW14120	1 - 12 NI/min		



Pneuparts.com
 Florijn 10 b/c
 5751 PC Deurne
 Nederland

Phone: +31 (0)493 763 993

info@pneuparts.com
 www.pneuparts.com

BTW: NL8209.12.931B01

KvK: 17126382

Swift: RABONL24

IBAN: NL23RABO01036.31240

**TECHNICAL DRAWINGS:
(DIMENSIONS)**

